Foglight Transaction Recorder

FTR

dougherg

7/18/2011

a) Table of Contents

Create a Foglight Transaction Recorder (FTR) Script 2

Create New Monitoring Agent in Foglight..... 14

Setup Notification Rule 24

1. Creating a Foglight Transaction Recorder (FTR) Script

a) The following items are needed to begin a FTR Monitor application:

Application name.


Application URL: example: http://www.google.com.

Login Password (If authenticated, enter username and password).

Access to the Foglilght Transaction Recorder.


Administrative access to Foglight server.

b) Login to FTR.




1. Login to FTR

c) Start the Transaction Recorder by selecting the recorder FTR icon.




2. Start Transaction Recorder

d) Select view.



3. Select View

e) Select script.



4. Select Script


f) Select new.



5. Select New


g) Naming the script.

i. Select NEW.




6. Select NEW

ii. Double click on UNTITLED to access instruction properties.




7. Double click on untitled

iii. Enter a name.




8. Create a Title

iv. Enter a description.



9. Enter a Description


v. Select OK to save the script name and description.



10. Select OK


h) Record agent.

i. Select record.



11. Select Record


ii. Run as new user.



12. Run as New User


iii. Select OK.

iv. Enter URL in address bar. Example: http://www.google.com.




13. Enter URL

v. Select green GO button.



14. Select GO button


vi. Page will appear.



15. Page will appear


i) Playback the script.

i. Select View. Select Script.




16. Select View. Select Script

ii. Select icon.



17. Select Icon

iii. Add close browser.



18. Add Close Browser

iv. Stop recording by selecting STOP.



19. Select STOP to stop recording


v. Playback script.

a) Select GREEN play button.




20. Select GREEN Play Button

vi. Run to check runtime result.




21. Check Runtime

vii. Select NEXT.



22. Select NEXT


viii. Select FINISH.



23. Select FINISH


j) Publish agents.

i. Exit FTR.



24. Exit FTR


ii. Logout of FTR.



25. Logout of FTR

2. Create New Monitoring Agent in Foglight

a) Go to production Foglight server.



26. Go to Foglight Server

b) Login to Foglight management server.



27. Login

c) Navigate to Manage Agents.


i. From the left hand navigation panel navigate through:

b) Dashboards

c) Administration

d) Agents


e) Agent Status



28. Navigate to Managed Agents


ii. Filter for FTR agents.

a) Enter into the TYPE field: *ftr*.




29. Enter ftr

d) Create a new monitoring agent.




30. Create Monitoring Agent

i. Select FTR host. Enter: *resfgltprd01*.




31. Select FTR Host

ii. Select FTR as agent type.




32. Select FTR as Agent Type

iii. Enter agent name and select create.



33. Enter Agent Name and Select Create

iv. Wait for a GREEN checkmark to appear. A GREEN checkmark means OK.



34. A Green Mark Means OK

e) Edit agent properties.

i. Enter location name.

ii. Create monitoring script list. These are the agents to execute.




35. Enter Location Name

f) Select clone.



36. Select Clone

g) Select OK.



37. Select OK

h) Create script file name.




38. Create Name of Script

i) Edit script list.




39. Edit Script List

j) Double click on script name field. In the drop box, select the Script Created.




40. Select Script From Dropdown Box

k) Enable script.



41. Enable Scripts

l) Select SAVE CHANGES.



42. Save Changes

m) Save FTR agent properties.



43. Save Agent Properties

n) Select Activate.



44. Select Activate

3. Setup Notification Rule

a) Login

b) Navigate to manage rules

c) Create new rule

d) Save rule.